

## XML format for web services ANS offers

### Web Service Definition Language (WSDL)

Listed below is a library of services currently used to interface. For a complete view please visit  
<http://8.20.75.151/ANSHealthB2B/answebservices/>

<b>Web Service</b>	<b>Description</b>	<b>Dependencies</b>
<b>Account</b>	Allows create, read, and update of data. Allows the creation of new accounts in the system.	N/A
<b>AccountAddress</b>	Allows create, read, and update of data. Allows the creation of account address in the system.	Account service must be called before AccountAddress can be called.
<b>AccountPhone</b>	Allows create, read, and update of data. Allows the creation of account phones in the system.	Account service must be called before AccountPhone can be called.
<b>Adjudicator</b>	Pulls data elements needed for the adjudication process.	N/A
<b>AjudicatorLookup</b>	Pulls all data elements within the adjudicated record.	N/A
<b>AllergyLookup</b>	Pulls data from drug database that matches search criteria.	N/A
<b>AutoFillItem</b>	Pulls data from rx record for automatic fill.	N/A
<b>AutoMedResponseTxn</b>	Pulls data elements needed for automed order.	N/A
<b>AutoPrintShipping</b>	Pulls data elements for auto print at shipping.	N/A
<b>BulkEpostAdjudicator</b>	Pulls data elements for bulk adjudication process.	N/A
<b>CashPriceLookup</b>	Pulls data elements for cash price search.	N/A
<b>CheckEpostRxHealth</b>	Pulls data elements for checking system stability.	N/A
<b>DiscontinueRx</b>	Pulls data elements for creation of and access to a discontinued Rx record.	N/A
<b>Doctor</b>	Allows create, read, and update of data. Allows the creation of a doctor record in the system.	N/A
<b>DoctorAddress</b>	Allows create, read, and update of data. Allows the creation of a doctor's address in the system.	Doctor service must be called before DoctorAddress can be called.
<b>DoctorIdentifier</b>	Allows create, read, and update of data. Allows the creation of and access to the doctor's Identifier data.	Doctor service must be called before DoctorIdentifier can be called.
<b>DoctorPhone</b>	Allows create, read, and update of data. Allows the creation of and access to the doctor's phone data.	Doctor service must be called before DoctorPhone can be called.
<b>DoctorSearch</b>	Pulls data elements for doctor search.	N/A
<b>GenericProductLookup</b>	Pulls data elements for generic product search.	N/A
<b>InnovativeAutomation</b>	Pulls data elements for records processed through automation.	N/A

<b>IVROrder</b>	Allows create of data. Pulls data elements for records processed through IVR.	N/A
<b>Load832Catalog</b>	Pulls data elements for loading 832 Catalog files.	N/A
<b>LoadHBCFile</b>	Pulls data elements for loading HBC files.	N/A
<b>LoadOpenRefills</b>	Pulls data elements for loading open refills.	N/A
<b>LoadSigisFile</b>	Pulls data elements for loading Sigis files.	N/A
<b>Order</b>	Allows create, read, and update of data. Pulls data elements for creating an order.	N/A
<b>OrderBillship</b>	Allows create, read, and update of data. Creates elements needed for billing and shipping an order.	Order service must be called before OrderBillship can be called.
<b>OrderCancel</b>	Pulls data elements needed to identify a cancelled order.	Order service must be called before OrderCancel can be called.
<b>OrderLines</b>	Pulls data elements needed for line items within order.	Order service must be called before OrderLines can be called.
<b>OrderMerge</b>	Pulls data elements needed for merging orders.	Order service must be called before OrderMerge can be called.
<b>OrderNewRxLine</b>	Allows create, read, and update of data. Pulls data elements for creating new Rx line in an order.	Order service must be called before OrderNewRXLine can be called.
<b>OrderNote</b>	Allows create, read, and update of data. Pulls data elements that exist for a Note associated with an order.	Order service must be called before OrderNote can be called.
<b>OrderOnHold</b>	Allows create, read, and update of data. Pulls data elements that exist for an on hold order.	Order service must be called before OrderOnHold can be called.
<b>OrderOTCLine</b>	Allows create, read, and update of data. Pulls data elements needed for creating an OTC item in an order.	Order service must be called before OrderOTCLine can be called.
<b>OrderRefillLine</b>	Allows create, read, and update of data. Pulls data elements needed when creating a refill item in an order.	Order service must be called before OrderRefillLine can be called.
<b>OrderSearch</b>	Pulls data elements when entering search criteria for an order	Order service must be called before OrderSearch can be called.
<b>Patient</b>	Allows create, read, and update of data. Pulls data elements that exist in the patient record.	N/A
<b>PatientAddress</b>	Allows create, read, and update of data. Pulls data elements that exist in the patient address record.	Patient service must be called before PatientAddress can be called.
<b>PatientNote</b>	Allows create, read, and update of data. Pulls data elements that exist for a Note associated with a patient.	Patient service must be called before PatientNote can be called.
<b>PatientOnHold</b>	Allows create, read, and update of data. Pulls data elements that exist	Patient service must be called before

	for on hold status for a patient.	PatientOnHold can be called.
<b>PatientPet</b>	Allows create, read, and update of data. Pulls data elements that exist for a patient's pet.	Patient service must be called before PatientPet can be called.
<b>PatientPhone</b>	Allows create, read, and update of data. Pulls data elements that exist for patient phone data.	Patient service must be called before PatientPhone can be called.
<b>PatientPlanSearch</b>	Pulls data elements that exist for identifying the Insurance Plan.	N/A
<b>PatientSearch</b>	Pulls data elements when entering search criteria for a patient.	N/A
<b>PaymentCardTxn</b>	Pulls data elements associated with a payment card transaction.	N/A
<b>PlanSearch</b>	Pulls data elements associated with an insurance plan search.	N/A
<b>ProductLookup</b>	Pulls data elements associated with finding a product record.	N/A
<b>ProductSearch</b>	Pulls data elements associated with a product search.	N/A
<b>RawAdjudicator</b>	Pulls data elements associated with adjudicating a claim.	N/A
<b>RetailNewRx</b>	Pulls data elements associated with a retail fill.	N/A
<b>RetailRefill</b>	Pulls data elements associated with a retail refill.	N/A
<b>RetailRx</b>	Allows read and update of data. Pulls data elements associated with a retail Rx.	N/A
<b>SynchronizeProductInfo</b>	Pulls data elements associated with synchronizing product info.	N/A
<b>ValidateUser</b>	Pulls data elements associated with validating a user's record.	N/A
<b>WebOrder</b>	Pulls data elements associated with creating a web order.	N/A
<b>WorkflowItemRestart</b>	Pulls data elements associated with a line item of an order in workflow.	N/A
<b>WorkflowOrderInject</b>	Pulls data elements associated with injecting an order into workflow.	N/A
<b>WorkflowOrderRestart</b>	Pulls data elements associated with an order in workflow.	N/A
<b>WorkflowOrderShipped</b>	Pulls data elements associated with a shipped order.	N/A
<b>WorkflowOrderToteInduct</b>	Pulls data elements associated with an order in tote induct.	N/A
<b>WorkflowRetailRxInject</b>	Pulls data elements associated with a Retail Rx injected into an order.	N/A
<b>WorkflowStatus</b>	Pulls data elements associated with the status of an order in workflow.	N/A
<b>WorkflowStressTester</b>	Pulls data elements associated with a stress test.	N/A